

EP08 - Corded PU Foam Ear Plug (200 pairs)

Collection: Ear Plugs

Range: PPE

Materials: PU Foam, PVC

Inner Pack: 200

Outer Carton: 10

Product information

Disposable ear plugs made from soft PU foam. Corded for safe keeping. Each pair inside individual hygienic polybag. Excellent attenuation rate.

PPE

Portwest Head PPE range applies the latest standards to deliver the highest level of protection. Comfortable and lightweight, the PPE range will ensure a pleasant wear, even for long periods of use. Your safety is our mission.

Standards

EN 352-2 (SNR 36dB)

ANSI S3.19 (32dB)



Features

- CE-CAT III
- Retail box which aids presentation for retail sales
- Corded for safe keeping
- One pair per hang cell (stored in hygienic polybag)
- Individually packed for vending machines

	Range
Orange	-

PORTWEST®

PRODUCT SPECIFICATION & TECHNICAL DATA

EP08 - Corded PU Foam Ear Plug (200 pairs)

Commodity Code: 3926909790

Test House

Michael & Associates, Inc. (Notified Body No.:)

2766 W. College Ave Suite 1

PA 16801, United States

Cert No: Q1441A

ALIENOR CERTIFICATION (Notified Body No.: 2754)

ZA du Sanital

86100 , France

Cert No: 2754/1246/159/06/18/0288

CARTON DIMENSIONS/WEIGHT

Item	Colour	Len	Wid	Hgt	Weight (Kg)	Cubic (m ³)	EAN13	DUN14
EP08ORR	Orange	65.0	35.0	33.0	0.7600	0.0751	5036108183852	15036108622419

PORTWEST®

PRODUCT SPECIFICATION & TECHNICAL DATA

PERFORMANCES - SOUND ATTENUATION - EN352-2:2002

EP02/EP08/EP30								
A	Frequency (Hz)	125	250	500	1000	2000	4000	8000
B	Means Attenuation (dB)	36.5	34.2	39.1	37.8	39.6	44.9	46.2
C	Standard Deviation (dB)	4.7	4.5	4.8	5.8	4.0	6.4	6.2
D	Assumed Protection (dB)	31.7	29.7	34.2	32.0	35.5	38.5	40.1
SNR = 36 dB H = 36 dB / M = 33 dB / L = 32 dB								

PERFORMANCES - SOUND ATTENUATION ANSI S.19-1974

Tested by Michael & Associates, Inc. – 400 Long Lane, PA Furnace, PA 16865, USA

EP02/EP08										
A	Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000
B	Means Attenuation (dB)	39.8	40.4	42.6	40.3	39.1	45.2	45.7	48.3	47.4
C	Standard Deviation (dB)	3.0	3.9	2.9	3.6	3.7	3.0	2.5	4.9	3.7
NRR (Noise Reduction Rating) = 32 dB										

EP08ORR